

MASTER TL-D Food

MASTER TL-D Food 18W/79 SLV/25

The TL-D Food lamp makes the appearance of meat and bakery products more fresh and tasty. It can be applied for food illumination in butcher shops, bakeries, supermarkets etc.

Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data

General Information	
Cap-Base	G13 [Medium Bi-Pin Fluorescent]
Life to 50% Failures (Nom)	15,000 hour(s)

Light Technical	
Color Code	79
Luminous Flux	740 lm
Color Designation	Food
Correlated Color Temperature (Nom)	3800 K
Luminous Efficacy (rated) (Nom)	41 lm/W
Color rendering index (CRI)	74

Operating and Electrical	
Power Consumption	18.0 W
Lamp Current (Nom)	0.360 A
Voltage (Nom)	59 V

Controls and Dimming	
Dimmable	Yes

Mechanical and Housing	
Bulb Shape	T8
Net Weight (Piece)	71.000 g

Approval and Application	
Mercury (Hg) Content (Nom)	5.0 mg
Energy Consumption kWh/1000 h	23 kWh

Product Data	
Order product name	MASTER TL-D Food 18W/79 SLV/25
Full product name	MASTER TL-D Food 18W/79 SLV/25
Full product code	871150070621840
Order code	928048002043
Material Nr. (12NC)	928048002043
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8711500706218

MASTER TL-D Food

Numerator - Packs per outer box	25
EAN/UPC - Case	8711500613080

Dimensional drawing



Product	D (max)	A (max)	B (max)	B (min)	C (max)
MASTER TL-D Food 18W/79 SLV/25	28 mm	589.8 mm	596.9 mm	594.5 mm	604 mm

Photometric data



Spectral Power Distribution Colour - MASTER TL-D Food 18W/79 SLV/25

Lifetime



Life expectancy diagram - 12 hour cycle



Life expectancy diagram - 3 hour cycle

MASTER TL-D Food

Lifetime



Lumen Maintenance Diagram - MASTER TL-D Food 18W/79 SLV/25

© 2026 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.